

SAFETY DATA SHEET

Issue Date May 2015

Revision Date

May 2015

Version 3

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name WipesPlus™ Disinfecting Wipes

Product Number 37301, 33900, 33711

Recommended Use of the Chemical and Restrictions on Use

Recommended Use Disinfectant Towelettes.

Details of the Supplier of the Safety Data Sheet

Supplier Address Dodge Packaging Specialties Inc. 733 Lake Emory Road Franklin, NC 28734 828-369-7584 www.dodgepackaging.net

Emergency Telephone Number

Company Phone Number(s)

Phone: 914-417-6022 Fax: 914-939-1864

24 Hour Emergency Telephone

INFOTRAC: 1-800-535-5053 (North America) INFOTRAC: 1-352-323-3500 (International)

Classification

Specific Target Organ Toxicity (Single Exposure)	Category 3
Serious Eye Damage / Eye Irritation	Category 2B

Signal Word	GHS: Warning. EPA: Caution.
Hazard Statements	Causes eye irritation. May cause respiratory irritation. May cause drowsiness or dizziness.
Appearance	Natural Colored Pre-moistened Towelettes.
Physical State	Pre-moistened Towelettes.
<u>Odor</u>	Lemon.



Precautionary Statements-Prevention

Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not breathe dust/fumes/gas/mist/vapors/spray.

Precautionary Statements-Response

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration. Immediately call a Poison Control Center or doctor/physician.

IF SWALLOWED: Rinse mouth and drink plenty of water. Do not induce vomiting. Never give anything by mouth to a person who is unconscious or convulsing. Call a physician or Poison Control Center immediately.

IF IN EYES: Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. If irritation persists seek medical attention.

IF ON SKIN (or hair): Wash skin with flowing water or shower after use.

Precautionary Statements - Storage

Keep container tightly closed and store in a dry, cool and well-ventilated place away from incompatible materials.

Keep out of the reach of children and pets.

Precautionary Statements - Disposal

Dispose according to all local, state and federal regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%
o-phenylphenol	90-43-7	0.65
o-benzyl-p-chlorophenol	120-32-1	0.07
Isopropyl Alcohol	67-63-0	1 - 6

4. FIRST AID MEASURES

First Aid Measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration. Call a physician or Poison Control Center immediately.
Eye Contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. If irritation persists seek medical attention.
Ingestion	Rinse mouth and drink plenty of water. Do not induce vomiting. Never give anything by mouth to a person who is unconscious or convulsing. Call a physician or Poison Control Center immediately.
Skin Contact	Wash skin with flowing water or shower after use.

Most Important Symptoms and Effects, both Acute and Delayed

SymptomsMay cause eye irritation.Inhalation may cause respiratory tract irritation.Ingestion may cause mild irritation of the mouth, esophagus and stomach.

Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use water, CO_2 , dry chemical or foam for extinction.

Unsuitable Extinguishing Media Not Determined.

Specific Hazards Arising from the Chemical

None Known.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions

Use personal protective equipment as recommended in section 8. The wet, contaminated surface may be slippery.

For Emergency Responders

Restrict access to spill area. Ventilate the area.

Environmental Precautions

Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for additional ecological information.

Methods and Material for Containment and Cleaning Up

Methods for Containment

Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up

Absorb with inert material. Shovel or sweep spills. Flush remainder with plenty of water.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Advice on Safe Handling

Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8.

Keep out of the reach of children and pets.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions

Keep container tightly closed and store in a dry, cool and well-ventilated place away from incompatible materials. Do not store below 45°F (7°C). Do not store above 80°F (27°C).

Keep out of the reach of children and pets.

Incompatible Materials

Acids. Oxidizing agents. Reducing agents.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl Alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980mg/m ³ TWA: 400 ppm (Vacated) TWA: 980 mg/m ³ (Vacated) STEL: 500 ppm (Vacated) STEL: 1225 mg/m ³ (Vacated)	IDLH: 2000 ppm TWA: 400 ppm TWA: 980mg/m ³ STEL: 500 ppm STEL: 1225 mg/m ³

Appropriate Engineering Controls

Engineering Controls

Apply technical measures to comply with the occupational exposure limits. Eyewash stations.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection

Wear goggles, chemical safety glasses or a face protection shield.

Skin and Body Protection

Chemical resistant, impermeable gloves are not required.

Respiratory Protection

Under normal conditions a respirator is not normally required. A mask or respirator may be used if vapor concentration is high.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practices.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	Pre-Moistened Towelettes.
Appearance	Natural Colored Pre-Moistened Towelettes.
Color	Natural Color.
Odor	Lemon.

Property	Values	<u>Remarks * Method</u>
рН	11.0 - 12.0	68°F (20°C)
Melting Point / Freezing Point	< 32°F / < 0°C	
Boiling Point / Boiling Range	212°F / 100°C	(Approximate)
Flash Point	Not Flammable.	
Evaporation Rate	< 1	(Butyl acetate = 1) (Approximate)
Flammability (Solid/Gas)	N/A-Liquid.	
Flammability Limits In Air	Not Flammable.	
Vapor Pressure	Not Determined.	
Vapor Density	> 1	(Air = 1) (Approximate)
Specific Gravity	0.99	68°F (20°C) (Water = 1)
Water Solubility	Completely Soluble.	
Partition Coefficient	See Section 12.	
Autoignition Temperature	Not Flammable.	
Decomposition Temperature	Not Determined.	
Kinematic Viscosity	Not Determined.	
Dynamic Viscosity	Not Determined.	
Explosive Properties	Not Explosive.	
Oxidizing Properties	Not Determined.	

10. STABILITY AND REACTIVITY

<u>Reactivity</u>	Not reactive under normal conditions.
Chemical Stability	Stable under recommended storage conditions.
Possibility of Hazardous Reacti	ons None under normal processing.
Hazardous Polymerization	Hazardous polymerization will not occur.
Conditions to Avoid	Avoid direct sunlight. Avoid temperatures below 45°F / 7°C. Avoid temperatures above 80°F / 27°C.
Incompatible Materials	Acids. Oxidizing agents. Reducing agents.
Hazardous Decomposition Proc	<u>ducts</u> None known.

Information on Likely Routes of Exposure

Product Information

Inhalation	Avoid breathing vapors or mists.
Eye Contact	Avoid contact with eyes.
Ingestion	Do not taste or swallow.

Component Information

Chemical Name	Oral LD₅₀	Dermal LD ₅₀	Inhalation LC ₅₀
Isopropyl Alcohol 67-63-0	4396 mg/kg(Rat)	12800 mg/kg(Rat)	72.6 mg/L(Rat)4 hr.

Information on Physical, Chemical and Toxicological Effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl Alcohol 67-63-0	A4	Group 3	N/A	N/A
o-phenylphenol 90-43-7	N/A	Group 3	N/A	N/A

IARC (International Agency for Research on Cancer)
 Group 3 - Not Carcinogenic to Humans.
 ACGIH (The American Conference of Governmental Industrial Hygienists)
 A4 - Not Classifiable as a Human Carcinogen.

STOT - Single Exposure

	Not Determined.
STOT - Repeated Exposure	

Not Determined.

Numerical Measures of Toxicity

Not Determined.

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic organisms.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Isopropyl Alcohol 67-63-0	Known Toxin	Known Toxin	No Information	Known Toxin
o-phenylphenol 90-43-7	Known Toxin	Known Toxin	Known Toxin	Known Toxin

Persistence and Degradability

Not Determined.

Bioaccumulation

Not Determined.

Mobility

Chemical Name	Partition Coefficient
Isopropyl Alcohol 67-63-0	0.05
o-phenylphenol 90-43-7	3.09

Other Adverse Effects

Not Determined.

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes

Dispose according to all local, state and federal regulations.

Contaminated Packaging

Dispose according to all local, state and federal regulations.

Chemical Name	California Hazardous Waste Status
Isopropyl Alcohol 67-63-0	Toxic / Ignitable

14. TRANSPORT INFORMATION

Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT	Not Regulated.
IATA	Not Regulated.
IMDG	Not Regulated.

International Inventories

Not Determined.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/ European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

SARA 302

This material does not contain any chemical components with known CAS numbers that exceed the threshold reporting levels established by SARA Title III. Section 302.

SARA 311/312

This material does not contain any chemical components with known CAS numbers that exceed the threshold reporting levels established by SARA Title III. Section 311/312.

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold reporting levels established by SARA Title III. Section 313.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

 • Chemicals known to cause cancer:
 90-43-7
 biphenyl-2-ol

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Isopropyl Alcohol 67-63-0	х	x	Х
o-phenylphenol 90-43-7	х	x	х

<u>NFPA</u>	Health Hazards 1	Flammability 0	Instability 0	Special Hazards Not Determined.
<u>HMIS</u>	Health Hazards Not Determined.	Flammability Not Determined.	Physical Hazards Not Determined.	Personal Protection Not Determined.
Issue Date	May 2015			
Revision Dat	te May 2015			
Revision No	te New formula	New formula update.		

Disclaimer

The information contained herein is furnished without warranty or legal responsibility of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees.

End of Safety Data Sheet