



# Safety Data Sheet

## Super Liquid Laundry Soap

Distributed by:



1-800-882-1003 • 828-369-7584  
Franklin, NC  
Visit us online [www.dodgepackaging.net](http://www.dodgepackaging.net)

### Section 1 Identification

**Trade Name:** Super Liquid Laundry Soap  
**Product Identification:** 6152  
**Synonyms:** Water-based alkali detergent  
**Product Use Description:**  
Laundry Detergent

**General Info Phone:** (800) 795-9222  
**Emergency Phone:** (800) 535-5053

**Supplier:**  
**ABC Compounding Co., Inc.**  
6970 JONESBORO RD  
Morrow, GA 30260

### Section 2 Hazards Identification

#### Classifications

Skin corrosion - Category 1  
Eye Damage - Category 1  
Corrosive to Metals



Corrosive

**Signal Word:** Danger

#### Hazard Statements

Keep out of reach of children.  
Read label and SDS before use.  
Causes severe skin burns and eye damage  
May be corrosive to metals

#### Precautionary Statements

##### Prevention

Do not breathe mists.  
Wash hands thoroughly after handling.  
Wear protective gloves and clothing.  
Wear eye and face protection.  
Keep only in original container.

##### Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with soap and water/shower.  
Wash contaminated clothing before reuse.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.  
Continue rinsing.  
Immediately call a poison center or a physician.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
Immediately call a poison center or a physician.  
Absorb spillage to prevent material damage.

##### Storage

Store locked up.  
Store in corrosive resistant plastic container.

Trade Name: Super Liquid Laundry Soap  
SDS ID: SDS00187

SDS #: 6152  
Revision #: 1

Page 1 of 6  
Revision Date 05/01/2015



# Safety Data Sheet

## Super Liquid Laundry Soap

### Disposal

Dispose of contents and container in accordance with all local, regional, and national regulations.

### Hazards Not Otherwise Specified

Not applicable

## Section 3 Composition

| <u>Chemical Name</u> | <u>CAS #</u> | <u>Concentration</u><br><u>% by Weight</u> |
|----------------------|--------------|--------------------------------------------|
| Potassium Hydroxide  | 1310-58-3    | >=1 <= 5                                   |
| Sodium Hydroxide     | 1310-73-2    | >=1 <= 5                                   |
| 2-butoxyethanol      | 111-76-2     | <= 1                                       |

## Section 4 First Aid

### EMERGENCY OVERVIEW

DANGER. May be harmful if swallowed. Causes severe skin burns and eye damage. May cause respiratory irritation.

EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

Immediately call a poison center or a physician.

SKIN: Take off immediately all contaminated clothing and wash it before reuse. Wash with plenty of soap and water/shower. If skin irritation persists get medical attention.

INHALATION: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or a doctor.

INGESTION: Rinse mouth. Do not induce vomiting. Seek medical attention immediately.

## Section 5 Fire Fighting Measures

### Suitable fire extinguishing media:

Use water spray, fog or foam.

### Specific hazards arising from the chemical:

Containers may build pressure and rupture.

### Hazardous thermal decomposition products:

Carbon Dioxide, Carbon Monoxide

### Specific fire-fighting methods:

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

### Special protective equipment for fire fighters:

Fire fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in a positive pressure mode.

## Section 6 Accidental Release Measures

Trade Name: Super Liquid Laundry Soap  
SDS ID: SDS00187

SDS #: 6152  
Revision #: 1

Page 2 of 6  
Revision Date 05/01/2015



# Safety Data Sheet

## Super Liquid Laundry Soap

### Personal precautions:

Put on appropriate personal protective equipment (see section 8)

### Environmental precautions and clean-up methods:

Stop all leaks. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Disperse vapors with water spray. Prevent runoff from entering drains, sewers, streams or other bodies of water. Absorb spill with inert material. Absorb unrecoverable product. Transfer contaminated absorbent, soil and other materials to containers for disposal.

## Section 7 Handling and Storage

Do not use or store near heat, sparks or open flame. Store in a cool, dry place. Do not get in eyes, on skin or on clothing. Avoid breathing sprays. Keep out of reach of children.

## Section 8 Exposure Controls/Personal Protection

### 2-butoxyethanol

|           |               |
|-----------|---------------|
| ACGIH TLV | 20 ppm        |
| OSHA PEL  | 25 ppm (skin) |

### Potassium Hydroxide

|           |                     |
|-----------|---------------------|
| ACGIH TLV | 2 mg/m <sup>3</sup> |
| OSHA PEL  | 2 mg/m <sup>3</sup> |

### Sodium Hydroxide

|           |                     |
|-----------|---------------------|
| ACGIH TLV | 2 mg/m <sup>3</sup> |
| OSHA PEL  | 2 mg/m <sup>3</sup> |

**Eye Protection:** Wear safety glasses or goggles.

**Skin Protection:** Wear impervious gloves (made from rubber, nitrile or neoprene), clothing, and boots.

**Respiratory Protection:** When respiratory protection is required, use an organic vapor & particulate cartridge. All respiratory programs must meet OSHA's 29 CFR 1910.34 & ANSI Z88.2 requirements.

**Engineering Controls:** Good general ventilation required.

## Section 9 Physical and Chemical Properties

| Property                  | Value                    |                        |               |
|---------------------------|--------------------------|------------------------|---------------|
| Appearance                | CLEAR LIQUID             | Auto Ignition Temp     | NOT AVAILABLE |
| Boiling Point             | NOT AVAILABLE            | Color                  | PINK          |
| Decomposition Temperature | NOT AVAILABLE            | Evaporation Rate       | NOT AVAILABLE |
| Explosive Limit Ranges    | NOT AVAILABLE            | Explosive Properties   | NOT AVAILABLE |
| Flash Point               | NONE                     | Melting/Freezing Point | NOT AVAILABLE |
| Odor                      | ODORLESS                 | Odor Threshold         | NOT AVAILABLE |
| Other Information         | VOC content (wt. %): 0.8 | Oxidizing Properties   | NOT AVAILABLE |
| Partition Coeff           | NOT AVAILABLE            | Physical State         | LIQUID        |
| Relative Density          | 1.07                     | Solubility (Water)     | COMPLETE      |
| Vapor Density             | NOT AVAILABLE            | Vapor Pressure         | NOT AVAILABLE |
| Viscosity                 | NOT AVAILABLE            | pH                     | 12-13         |

## Section 10 Stability and Reactivity

**Reactivity :** Under normal conditions of storage and use, hazardous reactions will not occur.



# Safety Data Sheet

## Super Liquid Laundry Soap

**Chemical Stability :** Stable under normal conditions.  
**Incompatible Materials :** Acids and strong oxidizers  
**Conditions to Avoid :** High temperatures  
**Decomposition Products:** CO, CO<sub>2</sub>

### Section 11 Toxicological Information

**Primary Route of Entry:** Skin contact, eye contact, inhalation

**Acute/Potential Health Effects:**

**EYES:** Causes severe irritation experienced as discomfort or pain, excess blinking and tear production, with redness and swelling of the conjunctiva.

**SKIN:** Brief contact may cause slight irritation. Prolonged contact may cause more severe irritation with pain, local redness and swelling and possible tissue destruction.

**INHALATION:** High vapor concentrations may be irritating to respiratory tract.

**INGESTION:** May be harmful or fatal if swallowed. Corrosive. Can cause severe burns and complete tissue perforation of mucous membranes, mouth, throat and stomach.

**Chronic / Long Term Effects:** 2-Butoxyethanol has caused red blood cell hemolysis in lab animals and secondary injury to the liver and kidney.

**Target Organ Effects:** Liver, kidney, lungs and upper respiratory tract, gastrointestinal tract, eyes, skin.

**Reproductive/Developmental Information:** No data.

**Carcinogenic Information:** This material is not listed as a carcinogen by IARC, NTP or OSHA.

**Acute Toxicity Values:**

2-butoxyethanol: Ingestion - LD<sub>50</sub>, rat, 1300 mg/Kg; Dermal LD<sub>50</sub>, guinea pig 1400 mg/Kg; Inhalation - LC<sub>50</sub>, 1 hr, vapor, guinea pig > 3.1 mg/l

Potassium Hydroxide: Oral - LD<sub>50</sub>, rat 273 mg/Kg

Sodium Hydroxide: Oral - LD<sub>50</sub>, rat 300-500 mg/Kg

### Section 12 Ecological Information

2-butoxyethanol: EC<sub>50</sub>, Daphnia magna, static test, 48 h, immobilization: 1550 mg/l.

Potassium Hydroxide: Fish LC<sub>50</sub>, Western mosquitofish (*Gambusia affinis*), 80 mg/l, 96 hr.

Sodium Hydroxide: Fish LC<sub>50</sub>, Mosquitofish (*Gambusia affinis affinis*), 125 mg/l, 96 hr.

### Section 13 Disposal Considerations

Waste must be disposed of in accordance with federal, state and local environmental control regulations. See label for further instructions.

### Section 14 Transport Information



# Safety Data Sheet

## Super Liquid Laundry Soap

Certain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.

UN number 3266

Proper shipping name Corrosive Liquid, Basic, Inorganic, n.o.s. (contains Sodium Hydroxide)

Class 8

Packing group II

### Section 15 Regulatory Information

#### CERCLA RQ (40 CFR 302)

Potassium Hydroxide 1000 lbs

Sodium Hydroxide 1000 lbs

#### Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 (40 CFR 372.65)

2-butoxyethanol

If identified components of this product are CERCLA hazardous substances and/or listed under Sections 302, 304, or 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 (also known as EPCRA, the Emergency Planning and Community Right-To-Know Act), or under California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act), they are listed above in Section 15 of this SDS.

If identified components of this product are listed under Section 313, this product contains toxic chemicals subject to the reporting requirements of Section 313. This information must be included in all SDS that are copied and distributed for this material.

#### Title III Section 311/312 Hazardous Categories - 40 CFR 370.2:

ACUTE (X) Chronic ( ) Fire ( ) Pressure ( ) Reactive ( ) Not Applicable ( )

**T.S.C.A. Status:** All chemical substances found in this product comply with the Toxic Substances Control Act inventory reporting requirements.

**RCRA Status:** Under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. If this product becomes hazardous waste it would be assigned RCRA Code(s)

D002

### Section 16 Other Information

#### HMIS Ratings :

|                     |   |
|---------------------|---|
| HEALTH              | 2 |
| FLAMMABILITY        | 0 |
| REACTIVITY          | 0 |
| PERSONAL PROTECTION | B |



## **Safety Data Sheet**

### ***Super Liquid Laundry Soap***

Disclaimer: This Manufacturer believes that the information contained in the Safety Data Sheet is accurate. The suggested procedures are based on experience as of the date of the publication. They are not necessarily all inclusive nor fully adequate in every circumstance. Also, the suggestions should not be confused with, nor followed in violation of applicable laws, regulations, rules or insurance requirements.

Preparation/Revision Date: 5/1/15